

X-Key (China) Limited

SERIES NO.: X-RP94SD

DESCRIPTION: IP68 rated industrial silicone BACKLIGHT keyboard with built-in mouse and function keys on the top line,

with carbon-on-gold key switch technology with long stroke 1.50mm, with antimicrobial keyboard surface,

standard alone desk top version.

MODEL NO.: X-RP941SD

DIMENSIONS: 286 x 148 x 11 mm(L x W x H)



APPLICATIONS:

- For working in low-light areas, it is also available with optional illumination version.
- 2. This keyboard provides full-size versatility in a rugged, compact design with the added convenience of built-in mouse. Engineered for NEMA 4X protection from dust, water and corrosive liquids. This keyboard is ideal for use in environments ranging from manufacturing to material handling to medical settings.
- 3. MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipments, operation rooms, dialysis centers etc;
- 4. MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc
- 5. MILITARY: Army, Navy, Air force
- 6. INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses
- 7. OTHER INDUSTRIES

MAIN FEATURE

- 1. keyboard with NVIS-compliant red adjustable backlighting optional, while NVIS backlighting makes this keyboard ideal for aviation or vehicle applications where night vision goggles are necessary.
- 2. Keyboard with this built-in mouse, the cursor can only be moved at a constant speed.
- 3. Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality
- 4. The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.
- 5. Special dura-coating for excellent mechanical and chemical resistance.



Address: 903, No.1, Nanbian South Street, Huangzhuang, Taihe Town, Baiyun District, Guangzhou, Guangdong, China.

Tel: +86 20 66690748 Fax: +86 20 66690747 E-mail: <u>info@x-key.cc</u>, <u>sales@x-key.cc</u>

website: www.x-key.cc



X-Key (China) Limited

- 6. With firm tactile key feel, key travel 1.5mm key travel.
- 7. Ease of customizing with multiple languages, to accommodate foreign or custom variants.
- 8. PS/2, USB connection cables that plug directly into computer like keyboard operations.
- 9. Enclosure: industrial silicone with silver ion antibacterial agent.

MECHANICAL DATA

- 1. Key: 94 keys
- 2. Key top style: Protuberant rectangular keys with tactile feeling.
- 3. Switch life: more than 10 million of operations.
- 4. Cable Length: 1.85m
- 5. G.W.: 0.7KGs(**X-RP941SD**)

ELECTRICAL DATA

- 1. Supply Voltage: +5V DC +/-5%
- Current Rating:
 - PS2: keyboard with 210mA@5V (from keyboard port)
 - USB: 220mA@5V (from CPU port)
- EMC Standard: It is compliance with the council EMC directive 89/336/EEC EN55022: 1988+A1:2000+A2:2003
 - EN55024: 1988+A1: 2001+A2:2003
- 4. Emission: EN 50081-1
- 5. Immunity: EN 50082-1
- 6. Lifespan> 3 years
- 7. Switch Contact Material: Carbon-on-Gold key switch technology with gold PCB.
- 8. Interface: PS2, USB available.
- 9. OS: DOS/Windows95/98/NT/ME/2000/2003/XP/Vista/7/8, Linux, Unix, Mac OSX

ENVIRONMENTAL ADAPTABILITY

- 1. Operating temperature:-30°C to +65°C
- 2. Storage temperature: :-40°C to +65°C
- 3. Humidity: 100%
- 4. Atmospheric pressure: 60-106Kpa
- 5. Shock: 3x11 ms pulses of 50g on each of 3 axes
- Vibration: POWER SPECTRAL DENSITY: 0.04g/Hz, FREQUENCY RANGE: 20Hz 2kHz, DURATION OF TEST PER

AXIS: 3 hours Flammability

PRINTED CIRCUIT BOARD: 94 VO

SILICONE OVERLAY: 94 HB INTERFACE CABLE: 94 V

RELIABILITY

- 1. RoHS Compliant, CE and FCC
- 2. Protection Level: IP68, NEMA 6P



Address: 903, No.1, Nanbian South Street, Huangzhuang, Taihe Town, Baiyun District, Guangzhou, Guangdong, China.

Tel: +86 20 66690748 Fax: +86 20 66690747 E-mail: info@x-key.cc, sales@x-key.cc

website: www.x-key.cc



X-Key (China) Limited

- 3. Key Lifespan >10 million actuations
- 4. MTBF >50000H
- 5. MTTR <30min



Address: 903, No.1, Nanbian South Street, Huangzhuang, Taihe Town,

Baiyun District, Guangzhou, Guangdong, China. Tel: +86 20 66690748 Fax: +86 20 66690747 E-mail: info@x-key.cc, sales@x-key.cc

website: www.x-key.cc